

Ultimate Trading & Consulting DMCC

Putzmeister P13




Putzmeister P13

P 13 is a piston pump for complete **mixing**, **pumping** and **spraying** solutions with **compulsory mixer**, **pump** and **compressor**.

It is widely used worldwide because of its high capacity features, long service life and low operating costs

P13 model is able to perform the most difficult tasks in the harshest environment as it can process almost any **grain of up to 8 mm**.


Mixing - Pumping - Spraying



Fine concrete with up to 8mm grain size



Shotcrete spraying with up to 8mm grain size



Plastering services with a site made mixes similar to lime gypsum and cement plaster. It is able to do both interior and exterior finishing plastering.

Technical Specification

Mixing Container 1701

Conveying hopper 2001

Output 30–90 1/min

Delivery pressure 40 bar

Conveying distance Width: 150 m, Heights: 80 m

Plaster Site Made Mixes: Width: 60 m, Heights: 40 m

Compressor Motor: 2 Cylinder; **Pressure**: 3.5 bar; **Output**: 300 1/min

Engine 2 Cylinder Diesel Engine, 14.5 kW at 2800 rpm

Piston Stroke 130 mm

Piston Diameter 100 mm

Weight 990 kg

Dimensions Length: 3000 mm, Width: 1640 mm, Height: 1450 mm

Maximum Grain Size 8 mm







CONTACT US



Swiss Tower, Cluster Y,
Jumeirah Lake Towers,
Dubai, U. A. E.

Office 801, 802,



+971 (4) 277 69 45



+971 (4) 277 63 26



info@utcdubai.com